

# DS KOREA

Expert of Cloth Adhesive tape



Welcome to trusted corporation, DS KOREA  
DS KOREA CO., LTD

274-33, Yeouneun-ro, Eunj-in-myeon, Nonsan-si, Chungnam, Korea  
Tel: 82-41-742-9994 Fax: 82-41-742-9996  
Homepage: [www.ds-korea.net](http://www.ds-korea.net)

# DS KOREA Co., Ltd.






**DS Korea Co., Ltd.** is the expert on cotton duct tapes and has provided several kinds of products at home and abroad since 2013. DS Korea Co., Ltd has short history than other companies in the same industry. Although DS KOREA Co., Ltd has relatively short experience than competitors, our employees have been engaging in more than 20 years on average in the field. DS Korea Co., Ltd is a reliable and hardworking company, We are looking forward to having business with you.  
- DS family -

# DS KOREA PRODUCTS





## CLOTH TAPE



ITEM	DSK-260S	DSK-300S
BASE CARRIER	65%POLYESTER 35%COTTON	65%POLYESTER 35%COTTON
BACKING	LDPE COATED CLOTH WITH RELEASE AGENT	LDPECOATED CLOTH WITH RELEASE AGENT
ADHESIVE	NATURAL RUBBER WITH SYNTHETIC RESIN	NATURAL RUBBER WITH SYNTHETIC RESIN
TOTALTHICKNESS (MICRONS)	260 ± 10	300 ± 10
PEEL ADHESION (gf/25mm)	1400 ± 100	1500 ± 100
BALLTACK (Ball No.)	22 ± 1	24 ± 1
TENSILE STRENGTH(kgf/25mm)	15.0	15.0
ELONGATION(%)	12.0	12.0
UNWINDING FORCE (gf/25mm)	900	900

It can be used for any purpose, such as industrial use, office equipment or repairs, since it can be cut easily.

## CLOTH MASKING TAPE



ITEM	DSK-300M	DSK-310D/L
BASE CARRIER	65%POLYESTER 35%COTTON	65%POLYESTER 35%COTTON
BACKING	LDPE COATED CLOTH WITH RELEASE AGENT	LDPECOATED CLOTH WITH RELEASE AGENT
ADHESIVE	NATURAL RUBBER WITH SYNTHETIC RESIN	NATURAL RUBBER WITH SYNTHETIC RESIN
TOTALTHICKNESS (MICRONS)	300 ± 10	310 ± 10
PEEL ADHESION (gf/25mm)	850 ± 50	900 ± 50
BALLTACK (Ball No.)	25 ± 1	25 ± 1
TENSILE STRENGTH(kgf/25mm)	15.0	15.0
ELONGATION(%)	12.0	12.0
UNWINDING FORCE (gf/25mm)	850	850

Cloth masking tape can be used for various purposes  
Such as general use, construction, car repairs and electronics.  
Also, it is useful when bonding and repairing joint parts, or categorizing things


## FLUORESCENT CLOTH TAPE



Fluorescent cloth tape can be used to indicate directions or the locations of various facilities in factories, offices, or schools

ITEM	DSK-300F
BASE CARRIER	65%POLYESTER 35%COTTON
BACKING	LDPE COATED CLOTH WITH RELEASE AGENT
ADHESIVE	NATURAL RUBBER WITH SYNTHETIC RESIN
TOTAL THICKNESS(MICRONS)	300 ± 10
PEEL ADHESION(gf/25mm)	1200 ± 100
BALL TACK(Ball No.)	20 ± 1
TENSILE STRENGTH(kgf/25mm)	15.0
ELONGATION(%)	12.0
UNWINDING FORCE(gf/25mm)	850

## GAFFER TAPE (MATT)



Gaffer tape doesn't leave any stubborn stains when removed, nor does it reflect light. Gaffer tape is often used for plays, stages, performance and filming.

ITEM	DSK-300G
BASE CARRIER	65%POLYESTER 35%COTTON
BACKING	LDPE COATED CLOTH WITH RELEASE AGENT
ADHESIVE	NATURAL RUBBER WITH SYNTHETIC RESIN
TOTAL THICKNESS(MICRONS)	300 ± 10
PEEL ADHESION(gf/25mm)	1200 ± 100
BALL TACK(Ball No.)	20 ± 1
TENSILE STRENGTH(kgf/25mm)	16.5
ELONGATION(%)	11.5
UNWINDING FORCE(gf/25mm)	900

## GENERAL TAPE (DOMESTIC)









Mighty cloth tape with strong adhesive power can be cut easily without any tools. It is often used for packaging or industrial purposes

ITEM	DSK-220S
BASE CARRIER	100%POLYESTER
BACKING	LDPE COATED CLOTH WITH RELEASE AGENT
ADHESIVE	NATURAL RUBBER WITH SYNTHETIC RESIN
TOTAL THICKNESS(MICRONS)	220 ± 10
PEEL ADHESION(gf/25mm)	1300 ± 100
BALL TACK(Ball No.)	20 ± 1
TENSILE STRENGTH(kgf/25mm)	12.0
ELONGATION(%)	12.5
UNWINDING FORCE(gf/25mm)	900

# COLOR SHADE

# Special Tape

		
YELLOW DSK YE-01	R'ORANGE DSK OR-01	RED DSK RE-01
		
BEIGE DSK BE-01	BROWN DSK BR-01	PINK DSK PI-01
		
PURPLE DSK PU-01	L'BLUE DSK LB-01	S'BLUE DSK SB-01
		
D'BLUE DSK DB-01	L'GREEN DSK LG-01	D'GREEN DSK DG-01
		
O'GREEN DSK OG-01	WHITE DSK WH-01	SILVER DSK SI-01
		
BLACK DSK BL-01	BLACK&L'BLUE DSK BLL-01	D'BROWN DSK DBR-01


BLACK&WHITE DSK BW-01

MATT BLACK DSK MBL-01

F'Yellow DSK FY-01

F'Green DSK FG-01

F'Orange DSK FO-01

F'Pink DSK FP-01



## DS KOREA SPECIFICATION

NO				BASE CARRIER	BACKING	ADHESIVE	TOTAL THICKNESS	PEEL ADHESION	BALL TACK	TENSILE STRENGTH	TENSILE STRENGTH	TENSILE STRENGTH	ELONGATION	UNWINDING FORCE	UNWINDING FORCE	UNWINDING FORCE
	Item	Mesh	Description				(Microns)	(gt/25mm)	(Ball No.)	(kgf/25mm)	(N/10mm)	(lbs/1 IN)	(%)	(gt/25mm)	(N/10mm)	(oz/1 IN)
1	DSK-210S	#50	Duct Tape Economic Grade	100% Polyester	LDPE Coated Cloth with Release Agent	Natural Rubber with Synthetic Resin	210±10	1200±100	18±1	12.0	47.1	26.5	12.5	850	3.3	30.0
2	DSK-220S	#50	Duct Tape Economic Grade				220±10	1300±100	20±1	12.0	47.1	26.5	12.5	900	3.5	31.7
3	DSK-230M	#50	Duct Tape Masking Grade				230±10	850±50	21±1	12.0	47.1	26.5	12.5	850	3.3	30.0
4	DSK-250S	#50	Duct Tape General Grade	65% Polyester 35% Cotton			250±10	1300±100	22±1	11.0	43.1	24.3	13.5	850	3.3	30.0
5	DSK-260S	#70	Cloth Tape Economic Grade				260±10	1400±100	22±1	15.0	58.8	33.1	12.0	900	3.5	31.7
6	DSK-300S	#70	Cloth Tape General Grade				300±10	1500±100	24±1	15.0	58.8	33.1	12.0	900	3.5	31.7
7	DSK-300M	#70	Cloth Masking Tape(UV)				300±10	850±50	25±1	15.0	58.8	33.1	12.0	850	3.3	30.0
8	DSK-310D/L	#70	Cloth Masking Tape (2XB-UV)				310±10	900±50	25±1	15.0	58.8	33.1	12.0	850	3.3	30.0
9	DSK-300F	#80	Fluorescent Cloth Tape				300±10	1200±100	20±1	15.0	58.8	33.1	12.0	850	3.3	30.0
10	DSK-300G	#80	Gaffers Tape (Matt)				300±10	1200±100	20±1	16.5	64.7	36.4	11.5	900	3.5	31.7
11	DSK-430EXT	#70	Mighty Cloth Tape				430±10	1200±100	28±1	22.0	86.3	48.5	11.5	1,000	3.9	35.3

Above test were performed on the condition of 23±2°C and humidity of 65±5% (JIS Z 0237,1254)

All above data can be changed according to testing circumstances

This is to certify that our products is identified with the specification as indicated above



## **Come Visit DS KOREA Customer Center**

TEL : +82-41-742-9994

FAX : +82-41-742-9996

Address : 274-33, Yeoneun-ro, Eunjin-myeon, Nonsan-si,  
Chungnam, Korea

E-mail : [jlchoi@dskorea.biz](mailto:jlchoi@dskorea.biz)